

DAĞITIM VE TRAFİKO MERKEZLERİ

DISTRIBUTION AND
TRANSFORMER SUBSTATIONS



MONOBLOK BETON KÖŞK
MONOBLOCK CONCRETE KIOSKS



SAC KÖŞKLER
SHEET METAL KIOSK



MOBİL KÖŞKLER
MOBILE SUBSTATIONS



DAĞITIM VE TRAF0 MERKEZLERİ

MONOBLOK BETON K0ŞK

DISTRIBUTION AND TRANSFORMER SUBSTATIONS

MONOBLOCK CONCRETE KIOSKS




DAĞITIM VE TRAF0 MERKEZLERİ

MONOBLOK BETON KÖŞK

DISTRIBUTION AND TRANSFORMER SUBSTATIONS

MONOBLOCK CONCRETE KIOSKS



Teknik Özellikler / Technical Specifications

ANMA GERİLİMİ (kV)	RATED VOLTAGE (kV)	36
MAKSİMUM ANMA GÜCÜ (kVA)	MAXIMUM RATED POWER (kVA)	1000 ; 1600
MAHAFAZA SINIFI	ENCLOSURE CLASSIFICATION	AB) 16 kA-1 sec. 10
İÇ ARK DAYANIMI	INTERNAL ARK WITH STANDING	IP 23D
KORUMA DEREJESİ	PROTECTION CLASSIFICATION	TS EN 62211-202